

Amendments to the claims (this listing replaces all prior versions):

---

1. (Currently Amended) A machine-based method comprising enabling storage of ~~bindings that describe~~ a binding specification that describes a document by associating individual content elements with individual layout elements, the layout elements defining layout features or placement information to be applied to the associated content elements ~~in~~ when the content and layout elements are combined according to at least one binding included in the binding specification to generate the document, the ~~bindings~~ binding specification being stored separately from both the content and layout elements.

2. (Currently Amended) The method of claim 1 in which at least one other binding is included in a different binding specification that describes ~~further comprising enabling storage of bindings that describe~~ another, different document by associating at least one of the content elements with at least one of the layout elements, at least one layout element defining layout features or placement information to be applied to at least one corresponding content element in the different document, the ~~bindings~~ binding specification for the different document being stored separately from the ~~bindings~~ binding specification for the document and separately from the content and layout elements.

3. (Currently Amended) A machine-based method comprising enabling storage of ~~bindings~~ a binding specification including at least one binding, the binding specification describing that describe a document by associating individual content elements with individual layout elements, the layout elements defining layout features or placement information to be applied to the associated content elements in the document, enabling storage of ~~bindings~~ a different binding specification including at least one binding, the different binding specification describing that describe another, different document by associating at least one of the individual content elements with at least one of the individual layout elements, the at least one layout

element defining layout features or placement information to be applied to the corresponding at least one content element in the different document, the ~~bindings~~ binding specifications being stored separately from the content elements and separately from the layout elements.

4. (Currently Amended) The method of claim 1 or 3 in which the ~~bindings provide~~ at least one binding provides a primary control for the generation of the document and the different document.

5. (Currently Amended) The method of claim 2 or 3 further comprising enabling generation of the document and the different document using the elements and ~~bindings~~ the at least one binding in the binding specification.

6. (Original) The method of claim 1 or 3 further comprising enabling storage of the content elements and the layout elements.

7. (Original) The method of claim 1 or 3 in which at least some of the layout elements and at least some of the content elements are identified by uniquely named binding sites.

8. (Original) The method of claim 1 or 3 in which the content elements are stored in a portfolio and the layout elements are stored in a separate portfolio.

9. (Currently Amended) The method of claim 1 or 3 wherein the binding specification includes a plurality of bindings and in which some of the bindings are layout-centric and some of the bindings are content-centric.

10. (Currently Amended) The method of claim 2 or 3 in which the ~~bindings~~ binding specification for the two documents are the same and at least one of the content elements and layout elements associated with the binding sites is different for the document and the different document.

11. (Currently Amended) The method of claim 2 or 3 in which the ~~bindings~~ binding specification for the two documents are different and at least some of the content elements and the layout elements are the same for the document and the different document.

12. (Currently Amended) A machine-based method comprising using an application program to create individual content elements for use in documents, storing the individual content elements in a format native to the application program, forming a content portfolio, based on the stored individual content elements, by storing unique binding site names associated with respective content elements, and storing information with each of the content elements that aids a formatter in generating documents based on a binding specification, the individual content elements and on individual layout elements stored in a layout portfolio.

13. (Original) The method of claim 12 in which the information that aids the formatter comprises attributes associated with is the content elements.

14. (Original) The method of claim 12 further comprising storing ~~[[a]]~~ the binding specification which refers to the content elements:

15. (Original) The method of claim 12 in which the forming of the content portfolio also comprises storing implementation specific properties.

16. (Original) The method of claim 12 in which the forming of the content portfolio also comprises storing portfolio-specific attributes.

17. (Original) The method of claim 12 in which the forming of the content portfolio also comprises storing a list of binding sites of elements belonging to the content portfolio.

18. (Original) The method of claim 12 in which the forming of the content portfolio also comprises storing a list of groups of content elements belonging to the content portfolio.

19. (Currently Amended) A medium storing a machine-readable program that enables storage of ~~bindings~~ a binding specification that includes bindings that describe a

document by associating individual content elements with individual layout elements, the layout elements defining layout features or placement information to be applied to the associated content elements ~~in~~ when the content and layout elements are combined according to at least one binding included in the binding specification to generate the document, the ~~bindings~~ binding specification being stored separately from both the content and layout elements.

20. (Currently Amended) A medium storing a machine-readable program that enables storage of ~~bindings~~ a binding specification that ~~describe~~ describes a document by associating individual content elements with individual layout elements, the layout elements defining layout features or placement information to be applied to the associated content elements ~~in~~ when the content and layout elements are combined according to at least one binding included in the binding specification to generate the document, and enables storage of ~~bindings~~ a binding sepcification that ~~describe~~ describes another, different document by associating at least one of the individual content elements with at least one of the individual layout elements, the at least one layout element defining layout features or placement information to be applied to the corresponding at least one content elements ~~in~~ when the content and layout elements are combined according to at least one binding included in the binding specification to generate the different document.

21. (Original) A medium storing a content portfolio capable of configuring a machine to enable generation of documents based on a content portfolio, a layout portfolio, and a binding specification, the content portfolio including content elements, names of unique binding sites associated with the content elements, and information configured to aid a formatter in generating the documents based on the content portfolio, the layout portfolio, and the binding specification.

22. (Original) The medium of claim 21 in which the information that aids the formatter comprises attributes associated with the content elements.

23. (Original) The medium of claim 21 in which the information that aids the formatter comprises implementation specific properties.

24. (Original) The medium of claim 21 in which the information that aids the formatter comprises portfolio-specific attributes.

25. (Original) The medium of claim 21 in which the information that aids the formatter comprises a list of binding sites of elements belonging to the content portfolio.

26. (Original) The medium of claim 21 in which the information that aids the formatter comprises a list of groups of content elements belonging to the content portfolio.

27. (Currently Amended) A machine-based method comprising using an application program to create layout elements for use in documents, storing the layout elements in a format native to the application program, forming a layout portfolio, based on the stored layout elements, by storing unique binding site names associated with respective layout elements, and storing information with each of the layout elements that aids a formatter in generating documents based on a binding specification, on the layout elements, and on content elements stored in a content portfolio.

28. (Original) The method of claim 27 in which the information that aids the formatter comprises attributes associated with the layout elements.

29. (Original) The method of claim 27 further comprising storing binding specifications that refer to the layout elements.

30. (Original) The method of claim 27 in which the forming of the layout portfolio also comprises storing implementation specific properties.

31. (Original) The method of claim 27 in which the forming of the layout portfolio also comprises storing portfolio-specific attributes.

32. (Original) The method of claim 27 in which the forming of the layout portfolio also comprises storing a list of binding sites of elements belonging to the layout portfolio.

33. (Original) The method of claim 27 in which the forming of the layout portfolio also comprises storing a list of groups of layout elements belonging to the layout portfolio.

34. (Original) A medium storing a layout portfolio capable of configuring a machine to enable generation of documents based on the layout portfolio, a content portfolio, and a binding specification, the layout portfolio including layout elements, names of unique binding sites associated with the layout elements, and information configured to aid a formatter in generating the documents based on the layout portfolio, the content portfolio, and the binding specification.

35. (Original) The medium of claim 34 in which the information that aids the formatter comprises attributes associated with the layout elements.

36. (Original) The medium of claim 34 in which the information that aids the formatter comprises implementation specific properties.

37. (Original) The medium of claim 34 in which the information that aids the formatter comprises portfolio-specific attributes.

38. (Original) The medium of claim 34 in which the information that aids the formatter comprises a list of binding sites of elements belonging to the layout portfolio.

39. (Original) The medium of claim 34 in which the information that aids the formatter comprises a list of groups of layout elements belonging to the layout portfolio.

40. (Original) A machine-based method comprising creating a binding specification for use in formatting documents based on the binding specification, content elements referenced by the binding specification, and layout elements referenced by the binding specification, and

storing in the binding specification global bindings and direct bindings that aid the formatter in formatting documents.

41. (Original) The method of claim 40 in which the global bindings include a list of element bindings that define a default binding for elements of a specified type.

42. (Original) The method of claim 41 in which the global bindings include a list of model bindings that define a default model for a specified binding site.

43. (Original) The method of claim 40 in which the binding specification contains composition sequences that aid the formatter in formatting documents, the composition sequences defining the order in which formatting is to proceed using bindings between content elements and layout elements, each of the composition sequences including composition blocks containing ordered lists of direct bindings.

44. (Original) The method of claim 43 in which each of the direct bindings comprises a placement binding or a style binding.

45. (Currently Amended) A medium storing a binding specification capable of configuring a machine to enable generation of documents based on the binding specification, a layout portfolio, and a content portfolio, the binding specification including global bindings and direct bindings that aid the formatter in formatting documents, the binding specification stored separately from both the content portfolio and the layout portfolio.

46. (Original) The medium of claim 45 in which the global bindings include a list of element bindings that define a default binding for elements of a specified type.

47. (Original) The medium of claim 45 in which the global bindings include a list of model bindings that define a default model for a specified binding site.

48. (Original) The medium of claim 45 in which the binding specification contains composition sequences that aid the formatter in formatting documents, the composition

sequences defining the order in which formatting is to proceed using bindings between content elements and layout elements, each of the composition sequences including composition blocks containing ordered lists of direct bindings.

49. (Original) The medium of claim 45 in which each of the direct bindings comprises a placement binding or a style binding.

50. (Canceled)

51. (Currently Amended) A machine-based method of formatting a document using stored content elements, ~~and~~ stored layout elements, and a binding specification, the stored content elements including content aspects and layout aspects, the method comprising determining whether the layout should be dominated by the layout components or the layout aspects of the content components.

52. (Original) The method of claim 51 in which the content elements include layout aspects and the bindings contain information sufficient to mediate a conflict between a layout aspect of a content element and a layout element with which the content element is associated.

53. (Currently Amended) A medium storing a machine-readable program that enables an application program to create layout elements for use in documents, stores the layout elements in a format native to the application program, forms a layout portfolio, based on the stored layout elements, by storing unique binding site names associated with respective layout elements, and stores information with each of the layout elements, that aids a formatter in generating documents based on a binding specification, the layout elements and on content elements stored in a content portfolio.

54. (Original) A medium storing a machine-readable program that enables creation of a binding specification for use in formatting documents based on the binding specification, content elements referenced by the binding specification, and layout elements referenced by the

binding specification, and stores in the binding specification global bindings and direct bindings that aid the formatter in formatting documents.

C/ 55. (New) A machine-based method comprising enabling storage of a binding specification that describes a document by associating individual content elements with individual layout elements, the layout elements defining layout features or placement information to be applied to the associated content elements in the document, the binding specification being stored separately from both the content and layout elements.

---